
+Deferral
{114,O_DEF}
Tfr_ID:unique_id {I,R126}
Rel_ID:unique_id {I,R126}
required:integer
...ooa::ooaofooa::Association::Association
{201,R_REL}
Rel_ID:unique_id {I,R8001}
Numb:integer
Descrip:string
SS_IDdeprecated:unique_id
R126
defers execution to subtypes across
0..1
succeeds
R125
0..1
delegates execution of
+Operation
{112,O_TFR}
Tfr_ID:unique_id {I}
Obj_ID:unique_id {R115}
Name:string
Descrip:string
DT_ID:unique_id {R116}
Instance_Based:Scope
Action_Semantics:string
Action_Semantics_internal:string
Suc_Pars:ParseStatus
Return_Dimensions:string
Previous_Tfr_ID:unique_id {R125}
Dialect:ActionDialect
Numb:integer
precedes
0..1
may contain
R115
is associated with
+Model Class
{101,O_OBJ}
Obj_ID:unique_id {I,R8001}
Name:string
Numb:integer
Key_Lett:string
Descrip:string
SS_IDdeprecated:unique_id
provides reference datatype for
1
R123
is available as a reference by
mcooa::ooaofooa::Domain::Instance Reference Data Type
{32,S_IRDT}
DT_ID:unique_id {I,R17}
isSet:boolean
Obj_ID:unique_id {R123}
has presence in other subsystems
+Imported Class
{102,O_IOBJ}
IObj_ID:unique_id {I,R8001}
Obj_ID:unique_id {R101}
Modl_Typ:integer
SS_IDdeprecated:unique_id
Obj_Name:string
Obj_KL:string
0..1 R101
represents
defines return value dimensions for
defines the type of return code
R116
return code is defined by
mcooa::ooaofooa::Domain::Data Type
{9,S_DT}
DT_ID:unique_id {I,I2,R8001}
Dom_IDdeprecated:unique_id
Name:string
Descrip:string
DefaultValue:string
is part of
R117
contains
+Operation Parameter
{113,O_TPARM}
TParm_ID:unique_id {I}
Tfr_ID:unique_id {R117}
Name:string
DT_ID:unique_id {R118}
By_Ref:integer
Dimensions:string
Previous_TParm_ID:unique_id {R124}
Descrip:string
defines the type of
R118
is defined by
succeeds
R124
precedes
R122
specifies occurrences of
R121
...oa::ooaofooa::Domain::Dimensions
{36,S_DIM}
elementCount:integer
dimensionCount:integer
Sync_ID:unique_id {R51}
SParm_ID:unique_id {R52}
BParm_ID:unique_id {R49}
Brg_ID:unique_id {R50}
Id:unique_id {R4018}
Obj_ID:unique_id {R120}
may have
return value may have
defines type of
R114
R120
may have
succeeds
R103
precedes
abstracts characteristics of
R102
has characteristics abstracted by
+Attribute
{103,O_ATTR}
Attr_ID:unique_id {I}
Obj_ID:unique_id {I,R102,R103}
PAttr_ID:unique_id {R103}
Name:string
Descrip:string
Prefix:string
Root_Nam:string
Pfx_Mode:integer
DT_ID:unique_id {R114}
Dimensions:string
DefaultValue:string
is defined by
specifies occurrences of
R106
identifies
R104
is identified by
+Class Identifier
{104,O_ID}
Oid_ID:integer {I}
Obj_ID:unique_id {I,R104}
R105
is made up of
is part of
+Class Identifier Attribute
{105,O_OIDA}
Attr_ID:unique_id {I,R105}
Obj_ID:unique_id {I,R105,R105}
Oid_ID:integer {I,R105}
localAttributeName:string
is identified in this association by
R109
identifies for this association
...::ooaofooa::Association::Referred To Class in Asso
{203,R_RTO}
Obj_ID:unique_id {I,I2,R203,R109}
Rel_ID:unique_id {I,I2,R203}
OIR_ID:unique_id {I,I2,R203}
Oid_ID:integer {I2,R109}
is identified in this association by
identifies for this associatior
R110
+Referred To Identifier Attribute
{111,O_RTIDA}
Attr_ID:unique_id {I,R110}
Obj_ID:unique_id {I,R110,R110}
Oid_ID:integer {I,R110,R110}
Rel_ID:unique_id {I,R110}
OIR_ID:unique_id {I,R110}
refers across association via
R111
...oa::ooaofooa::Association::Referring Class In Asso
{204,R_RGO}
Obj_ID:unique_id {I,R203}
Rel_ID:unique_id {I,R203}
OIR_ID:unique_id {I,R203}
is used to refer class by
+Base Attribute
{106,O_BATTR}
Attr_ID:unique_id {I,R106}
Obj_ID:unique_id {I,R106}
0..1
navigates back to
R113
can be the base of
+Referential Attribute
{109,O_RATTR}
Attr_ID:unique_id {I,R106}
Obj_ID:unique_id {I,R106}
BAttr_ID:unique_id {R113c}
BObj_ID:unique_id {R113c}
Ref_Mode:integer
BaseAttrName:string
R107
+Derived Base Attribute
{107,O_DBATTR}
Attr_ID:unique_id {I,R107}
Obj_ID:unique_id {I,R107}
Action_Semantics:string
Action_Semantics_internal:string
Suc_Pars:ParseStatus
Dialect:ActionDialect
+New Base Attribute
{108,O_NBATTR}
Attr_ID:unique_id {I,R107}
Obj_ID:unique_id {I,R107}
R108
is resolved by
resolves
1..*
0..1
succeeds
R112
0..1
precedes
+Attribute Reference in Class
{110,O_REF}
Obj_ID:unique_id {I,R108,R111}
RObj_ID:unique_id {I,R111}
ROid_ID:integer {I,R111}
RAttr_ID:unique_id {I,R111}
Rel_ID:unique_id {I,R111,R111}
OIR_ID:unique_id {I,R111}
ROIR_ID:unique_id {I,R111}
Attr_ID:unique_id {R108}
ARef_ID:unique_id {I2}
PARef_ID:unique_id {R112}
Is_Cstrd:boolean
Descrip:string
RObj_Name:string
RAttr_Name:string
Rel_Name:string